

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS FO Box 1430 Alexandria, Virginia 22313-1450 www.tepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/630,490	07/29/2003	Richard P. Tella	10010565-2	9682	
7590 G03242908 AGILENT TECHNOLOGIES, INC. Legal Department, DL429 Intellectual Property Administration P.O. Box 7599			EXAM	EXAMINER	
			ALEXANDER, LYLE		
			ART UNIT	PAPER NUMBER	
Loveland, CO 80537-0599			1797		
			MAIL DATE	DELIVERY MODE	
			03/24/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

## Application No. Applicant(s) 10/630 490 TELLA ET AL. Office Action Summary Examiner Art Unit Lvle A. Alexander 1797 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 08 January 2008. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-9.26-36 and 48-51 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 1-9,26-36, 48-49 and 50-51 is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received. Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date. Notice of Draftsperson's Patent Drawing Review (PTO-948)

information Disclosure Statement(s) (PTO/S5/06)
Paper No(s)/Mail Date \_\_\_\_\_\_.

5) Notice of Informal Patent Application

6) Other:

Application/Control Number: 10/630,490

Art Unit: 1797

## Claim Rejections - 35 USC § 102

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-9,26-36, 48-49 and 50-51 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Marouiss.

See the appropriate paragraph of the 11/8/07 Office action for the teachings of Marouiss.

In response to the 1/8/08 amendments and new claims 50-51, Marouiss teaches in figure 38 relative movement of the dispensing manifold(3902) to the holder(3906) to insure the two are parallel and the dispensing nozzles(3920) are properly align with the wells(3908). The Office has read this on the newly claimed limitations "... said substrate mount and said dispensing ... and said dispensing device."

## Response to Arguments

Applicant's arguments filed 1/8/08 have been fully considered but they are not persuasive.

Applicants' characterize Marouiss, as seen in figure 39, the sample holder(3906) as not parallel to the dispensing manifold(3902). The Office does not agree. Figure(39) clearly shows the sample holder(3906) as parallel to the dispensing manifold(3902). Additionally, Marouiss teaches in figure 38 relative movement of the dispensing manifold(3902) to the holder(3906) to insure the two are parallel and the dispensing nozzles(3920) are properly align with the wells(3908).

Application/Control Number: 10/630,490

Art Unit: 1797

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lyle A. Alexander whose telephone number is 571-272-1254. The examiner can normally be reached on Monday, Tuesday and Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Lyle A Alexander Primary Examiner Art Unit 1797

/Lyle A Alexander/ Primary Examiner, Art Unit 1797